

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20020103913"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:28
S2	1	@ad<"20020822" and serial adj adapter and I2C	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:29
S3	0	@ad<"20020822" and serial adj adapter same enclosure with (\$6processor CPU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49
S4	30	@ad<"20020822" and serial adj adapter and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:33
S5	11	S4 and disk adj drives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:48
S6	1	S5 and enclosure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:33
S7	3	S4 and array with disk same serial adj adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:38
S8	641	@ad<"20020822" and serdes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49
S9	697	@ad<"20020822" and ser\$1des	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49

EAST Search History

S10	283	S9 and multiplexer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49
S11	207	S10 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49
S12	84	S11 and disk adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49
S13	51	S12 and enclosure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:49
S14	51	S13 and I2C	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:50
S15	51	S14 and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:50
S16	0	S15 and serial same adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:50
S17	0	S15 and serial and adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:50
S18	51	S15 and serial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 16:50
S19	51	S18 and clock and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:28

EAST Search History

S20	3165	@ad<"20020822" and serial with adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/05 17:38
S21	1880	S20 and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:38
S22	1278	S21 and disk adj drives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:38
S23	454	S22 and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:38
S24	4	S23 and I2C	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/05 17:39
S25	532	@ad<"20020822" and share\$1 with serial with bus	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:42
S26	4	S25 and I2C	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:29
S27	1	S26 and interrupt	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:29
S28	52	@ad<"20020822" and data adj line same address adj line same clock adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:33
S29	30	S28 and serial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:33

EAST Search History

S30	0	S29 and I2C	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:33
S31	0	S29 and disk adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:33
S32	2	S29 and disk	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:36
S33	0	@ad<"20020822" and data same clock same interrupt same three adj line adj serial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:37
S34	7	@ad<"20020822" and data same clock same interrupt same three adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:37
S35	14	@ad<"20020822" and enclosure adj services adj processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:41
S36	0	S35 and serial adj adapter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:42
S37	11	S35 and serial	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:42
S38	0	S37 and 710/71.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:42
S39	3	@ad<"20020822" and 710/71. ccls. and enclosure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:59

EAST Search History

S40	3	I2C adj serial adj protocol	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:59
S41	367	I2C with serial and @ad<"20020822"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 12:59
S42	84	S41 and enclosure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 13:07
S43	7	S42 and enclosure with disk adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 13:00
S44	77	S42 NOT S43	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 13:07
S45	60	S44 and disk adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/07 13:08
S46	64	S44 and disk adj drive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/07 13:08
S47	64	S46 and processor	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/07 13:08
S48	0	S46 and 710/71.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/07 13:09
S49	9	S46 and "710"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/07 13:13

EAST Search History

S50	9	S49 and I2C	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/07 13:25
S51	5	("5327121" "6199130" "7039918").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:05
S52	3	S51 and multiplex\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/07 13:26
S53	1	allocat\$3 with buffer same transfer adj rate same peripheral adj device and @ad<"20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 17:06
S54	0	allocat\$3 with buffer with size same transfer adj rate same peripheral adj device and @ad<"20030703"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 10:06
S55	1	"7039918".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/08 17:06